
Error Code NL-RUNTIME-02


We are getting the following error code when using a variable csv file.

Error Code NL-RUNTIME-02




We have reviewed the following sections for setting up the csv file: https://www.neotys.com/documents/doc/neoload/latest/en/html/#1615.htm https://www.neotys.com/documents/doc/neoload/latest/en/html/#1620.htm


We've tried starting from line 1 in the csv file. The error does not occur but the scenario does not run either.



Error Code NL-RUNTIME-02



Log: Starting from line 2 in the variable file.



Error Code NL-RUNTIME-02

Log: Starting from line 1 in the variable file.



2014/08/25 16:48:59 INFO - neoload.LG_INFO: Starting LoadGenerator Version 5.0.0; build=180714-508
2014/08/25 16:48:59 INFO - neoload.LG_INFO: OS Version: x86 - Windows 2003 - 5.2
2014/08/25 16:48:59 INFO - neoload.LG_INFO: JVM Version: Oracle Corporation - 1.7.0_55 - Java HotSpot(TM) Server VM - Xmx= 810942464 bytes
2014/08/25 16:48:59 INFO - neoload.LG_INFO: Sockets Tuning information: MaxUserPort registry key not found; TcpTimedWaitDelay registry key not found;
2014/08/25 16:49:00 INFO - neoload.LG. Registered to Agent. Port 7100
2014/08/25 16:49:00 INFO - neoload.LG: Launching inbound connection listener on port:1237
2014/08/25 16:49:00 INFO - neoload.LG: Connection established with the Controller localhost:1237
2014/08/25 16:49:01 INFO - neoload.LG_INFO: WAN Emulation: disabled
2014/08/25 16:49:04 INFO - neoload.LG: Connection established with the Controller localhost:1237